

# SAFETY DATA SHEET

Issue Date 16-Jan-2014

Revision Date 07-Apr-2021

Version 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

### Product identifier

**Product Code** SB201  
RD102  
**Product Name** Muscle Maxx Degreaser

### Other means of identification

### Recommended use of the chemical and restrictions on use

Use only for the purpose on the product label.

### Details of the supplier of the safety data sheet

#### **Manufacturer / Manufactured For**

Magnus  
16005 Gateway Drive Ste 300  
Frisco, TX 75033  
1-855-962-4687  
www.magnuschemicals.com

#### **Emergency telephone number**

**24 Hour Emergency Phone Number:** Chemtrec 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

### Classification

|                           |            |
|---------------------------|------------|
| Skin corrosion/irritation | Category 3 |
|---------------------------|------------|

### Label elements

#### **Emergency Overview**

#### **Warning**

#### **Hazard statements**

Causes mild skin irritation

**Appearance** Clear, Orange

**Physical state** Liquid

**Odor** Orange

#### **Precautionary Statements - Response**

Specific Treatment (See Section 4 on the SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN (or hair). Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If irritation persists, see a physician.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Rinse mouth. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed. Store in a cool, dry place away from strong oxidizing agents. Keep away from heat, sparks and open flame. Keep out of reach of children.

#### **Precautionary Statements - Disposal**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

### Hazards not otherwise classified (HNOC)

**Other Information**

Unknown Acute Toxicity

0.51% of the mixture consists of ingredient(s) of unknown toxicity.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

| Chemical Name                         | CAS No.     | Weight-% | Trade Secret |
|---------------------------------------|-------------|----------|--------------|
| Water                                 | 7732-18-5   | 60-100   | *            |
| 2-butoxyethanol                       | 111-76-2    | 1-5      | *            |
| Nonylphenol Polyethylene Glycol Ether | 127087-87-0 | 1-5      | *            |
| Trisodium Phosphate Anhydrous         | 7601-54-9   | 1-5      | *            |
| Linear Dodecyl Benzene Sulphonic Acid | 27176-87-0  | .1-1     | *            |

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

**4. FIRST AID MEASURES****First aid measures****Skin Contact**

Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. If skin irritation persists, see a physician.

**Eye contact**

Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. If irritation persists, call a physician.

**Inhalation**

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

**Ingestion**

Rinse mouth. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.

**Most important symptoms and effects, both acute and delayed****Symptoms**

Ingestion symptoms may include headache, nausea, stomach cramps and diarrhea. May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination. May cause respiratory irritation. May cause redness and tearing of the eye. Defatting of skin. Prolonged or repeated contact may cause skin irritation or dermatitis.

**Indication of any immediate medical attention and special treatment needed****Note to physicians**

Treat symptomatically.

**5. FIRE-FIGHTING MEASURES****Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** Caution: Use of water spray when fighting fire may be inefficient.

**Specific hazards arising from the chemical**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

**Explosion data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

**Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Ensure adequate ventilation, especially in confined areas.

### Environmental precautions

**Environmental precautions** See Section 12 for additional ecological information.

### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Stop leak if safe to do so. Dike area of spills to prevent spreading. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

**Advice on safe handling** Handle in accordance with good industrial hygiene and safety practice.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame. Keep out of the reach of children.

**Incompatible materials** Strong oxidizing agents.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

**Exposure Guidelines** This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

| Chemical Name                 | ACGIH TLV  | OSHA PEL   | NIOSH IDLH   |
|-------------------------------|--|--|--|
| 2-butoxyethanol<br>111-76-2   | TWA: 20 ppm  | TWA: 50 ppm<br>TWA: 240 mg/m <sup>3</sup><br>(vacated) TWA: 25 ppm<br>(vacated) TWA: 120 mg/m <sup>3</sup><br>(vacated) S*<br>S* | IDLH: 700 ppm<br>TWA: 5 ppm<br>TWA: 24 mg/m <sup>3</sup>   |
| Sodium Hydroxide<br>1310-73-2 | Ceiling: 2 mg/m <sup>3</sup>                                   | TWA: 2 mg/m <sup>3</sup><br>(vacated) Ceiling: 2 mg/m <sup>3</sup>   | IDLH: 10 mg/m <sup>3</sup><br>Ceiling: 2 mg/m <sup>3</sup> |
| Sulfuric Acid<br>7664-93-9    | TWA: 0.2 mg/m <sup>3</sup> thoracic<br>particulate matter      | TWA: 1 mg/m <sup>3</sup><br>(vacated) TWA: 1 mg/m <sup>3</sup>   | IDLH: 15 mg/m <sup>3</sup><br>TWA: 1 mg/m <sup>3</sup>     |
| Diethanolamine<br>111-42-2    | TWA: 1 mg/m <sup>3</sup> inhalable fraction<br>and vapor<br>S* | (vacated) TWA: 3 ppm<br>(vacated) TWA: 15 mg/m <sup>3</sup>  | TWA: 3 ppm<br>TWA: 15 mg/m <sup>3</sup>                    |

NIOSH IDLH *Immediately Dangerous to Life or Health*

**Other Information** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

### Appropriate engineering controls

**Engineering Controls** Showers, Eyewash stations & Ventilation systems.

**Individual protection measures, such as personal protective equipment**

|                                 |  |
|---------------------------------|--|
| <b>Eye/face protection</b>      | Tight sealing safety goggles.  |
| <b>Skin and body protection</b> | Wear chemical resistant gloves.  |
| <b>Respiratory protection</b>   | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators or air purifying respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. |
| <b>General Hygiene</b>          | Wear suitable gloves and eye/face protection. Handle in accordance with good industrial hygiene and safety practice.   |

**9. PHYSICAL AND CHEMICAL PROPERTIES****Information on basic physical and chemical properties**

|                       |                          |
|-----------------------|--------------------------|
| <b>Physical state</b> | Liquid                   |
| <b>Appearance</b>     | Clear, Orange            |
| <b>Odor</b>           | Orange                   |
| <b>Odor threshold</b> | No Information available |

| <u>Property</u>                                    | <u>Values</u>            | <u>Remarks • Method</u>               |
|--|--------------------------|---------------------------------------|
| <b>pH</b>  | 10.0 - 11.0              |                                       |
| <b>Specific Gravity</b>                            | 1.018                    |                                       |
| <b>Viscosity</b>                                   | No Information available | <b>Remarks</b>                        |
| <b>Melting point/freezing point</b>                | No Information available |                                       |
| <b>Boiling point / boiling range</b>               | > 100 / ° F Degrees      |                                       |
| <b>Flash point</b>                                 | > 202 ° F Degrees        | Tag Closed Cup<br>(butyl acetate = 1) |
| <b>Evaporation rate</b>                            | < 1                      |                                       |
| <b>Flammability (solid, gas)</b>                   | No Information available |                                       |
| <b>Upper flammability limit:</b>                   | N/A                      |                                       |
| <b>Lower flammability limit:</b>                   | N/A                      |                                       |
| <b>Vapor pressure</b>                              | N/E                      |                                       |
| <b>Vapor density</b>                               | >1                       |                                       |
| <b>Water solubility</b>                            | completely soluble       |                                       |
| <b>Partition Coefficient<br/>(n-octanol/water)</b> | No Information available |                                       |
| <b>Autoignition temperature</b>                    | N/E                      |                                       |
| <b>Decomposition temperature</b>                   | No Information available |                                       |

**Other Information**

|                        |                          |
|------------------------|--------------------------|
| <b>Density Lbs/Gal</b> | No Information available |
| <b>VOC Content (%)</b> | 4.47                     |

**10. STABILITY AND REACTIVITY****Reactivity**

No data available

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Conditions to avoid**

Heat, flames and sparks.

**Incompatible materials**

Strong oxidizing agents.

**Hazardous Decomposition Products**Thermal decomposition can lead to release of irritating and toxic gases and vapors. Carbon dioxide (CO<sub>2</sub>). Carbon monoxide.**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

|                            |                       |
|----------------------------|-----------------------|
| <b>Product Information</b> | No data available     |
| <b>Inhalation</b>          | No data available.    |
| <b>Eye contact</b>         | No data available.    |
| <b>Skin Contact</b>        | May cause irritation. |
| <b>Ingestion</b>           | No data available.    |

| Chemical Name   | Oral LD50  | Dermal LD50  | Inhalation LC50                                |
|---|--|--|--|
| Water<br>7732-18-5  | > 90 mL/kg ( Rat )   | -  | -  |
| 2-butoxyethanol<br>111-76-2   | = 470 mg/kg ( Rat )  | = 435 mg/kg ( Rabbit )                                 | = 450 ppm ( Rat ) 4 h<br>= 486 ppm ( Rat ) 4 h |
| Nonylphenol Polyethylene Glycol Ether<br>127087-87-0                  | = 1310 mg/kg ( Rat )<br>= 2590 mg/kg ( Rat )                       | = 1780 µL/kg ( Rabbit )                                | -  |
| Trisodium Phosphate Anhydrous<br>7601-54-9                            | > 2000 mg/kg ( Rat )   | > 300 mg/kg ( Rabbit )                                 | > 2.16 mg/L ( Rat ) 1 h                        |
| Linear Dodecyl Benzene Sulphonic Acid<br>27176-87-0                   | = 1260 mg/kg ( Rat )<br>= 437 mg/kg ( Rat )<br>= 775 mg/kg ( Rat ) | 631 - 1000 mg/kg ( Rabbit )<br>= 2000 mg/kg ( Rabbit ) | -  |
| Cocamide DEA<br>68603-42-9  | > 5000 mg/kg ( Rat )   | > 2 g/kg ( Rabbit )                                    | -  |
| Sodium Benzeneoxybispropylenesulfonate<br>119345-04-9                 | > 1000 mg/kg ( Rat )   | > 1000 mg/kg ( Rabbit )                                | -  |
| Tetrasodium EDTA<br>64-02-8   | = 1658 mg/kg ( Rat )   | -  | -  |
| Sodium Hydroxide<br>1310-73-2   | = 325 mg/kg ( Rat )  | = 1350 mg/kg ( Rabbit )                                | -  |
| Sulfuric Acid<br>7664-93-9  | = 2140 mg/kg ( Rat )   | -  | = 0.375 mg/L ( Rat ) 4 h                       |
| Sodium Chloride<br>7647-14-5  | = 3 g/kg ( Rat )   | -  | > 42 g/m <sup>3</sup> ( Rat ) 1 h              |
| Sodium Sulfate<br>7757-82-6   | > 10000 mg/kg ( Rat )  | -  | -  |
| Trisodium nitrilotriacetate<br>5064-31-3                              | = 1100 mg/kg ( Rat )   | -  | > 5 mg/L ( Rat ) 4 h                           |
| Ethylenediaminetriacetic Acid, trisodium salt (ED3Ana3)<br>19019-43-3 | = 1780 mg/kg ( Rat )   | -  | -  |
| Diethanolamine<br>111-42-2  | = 780 mg/kg ( Rat )  | = 11.9 mL/kg ( Rabbit )                                | -  |

**Information on toxicological effects**

**Symptoms** No Information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Irritation** MAY CAUSE SKIN IRRITATION.  
**Sensitization** No Information available.  
**Germ cell mutagenicity** No Information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name               | ACGIH | IARC    | NTP | OSHA |
|-----------------------------|-------|---------|-----|------|
| 2-butoxyethanol<br>111-76-2 | A3    | Group 3 | -   | -    |

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**Reproductive toxicity**

No Information available.

**STOT - single exposure**

No Information available.

**STOT - repeated exposure**

No Information available.

**Chronic toxicity**

May cause adverse effects on the bone marrow and blood-forming system. May cause adverse liver effects.

**Target organ effects**

Blood, Central nervous system, EYES, hematopoietic system, Kidney, Liver, Respiratory system, Skin.

**Aspiration hazard**

No Information available.

**Numerical measures of toxicity - Product Information**

**Unknown Acute Toxicity** 0.51% of the mixture consists of ingredient(s) of unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document .

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity**

2.31% of the mixture consists of component(s) of unknown hazards to the aquatic environment

| Chemical Name  | Algae/aquatic plants                               | Fish   | Crustacea  |
|--|--|--|--|
| 2-butoxyethanol<br>111-76-2                          | -  | 1490: 96 h Lepomis macrochirus mg/L LC50 static<br>2950: 96 h Lepomis macrochirus mg/L LC50  | 1000: 48 h Daphnia magna mg/L EC50   |
| Nonylphenol Polyethylene Glycol Ether<br>127087-87-0 | -  | 5:96 h Fish mg/L LC50  | -  |
| Linear Dodecyl Benzene Sulphonic Acid<br>27176-87-0  | 29: 96 h Pseudokirchneriella subcapitata mg/L EC50 | 3.5 - 10: 96 h Brachydanio rerio mg/L LC50 static<br>10.8: 96 h Oncorhynchus mykiss mg/L LC50 static<br>3: 96 h Oncorhynchus mykiss mg/L LC50 static   | 2.9: 48 h Daphnia magna mg/L EC50<br>5.88: 48 h Daphnia magna mg/L EC50                  |
| Cocamide DEA<br>68603-42-9                           | -  | 3.6: 96 h Brachydanio rerio mg/L LC50 semi-static  | -  |
| Tetrasodium EDTA<br>64-02-8                          | 1.01: 72 h Desmodesmus subspicatus mg/L EC50       | 41: 96 h Lepomis macrochirus mg/L LC50 static<br>59.8: 96 h Pimephales promelas mg/L LC50 static   | -  |
| Sodium Hydroxide<br>1310-73-2                        | -  | 45.4: 96 h Oncorhynchus mykiss mg/L LC50 static  | -  |
| Sulfuric Acid<br>7664-93-9                           | -  | 500: 96 h Brachydanio rerio mg/L LC50 static   | -  |
| Sodium Chloride<br>7647-14-5                         | -  | 4747 - 7824: 96 h Oncorhynchus mykiss mg/L LC50 flow-through<br>5560 - 6080: 96 h Lepomis macrochirus mg/L LC50 flow-through<br>6020 - 7070: 96 h Pimephales promelas mg/L LC50 static<br>6420 - 6700: 96 h Pimephales promelas mg/L LC50 static<br>12946: 96 h Lepomis macrochirus mg/L LC50 static<br>7050: 96 h Pimephales promelas | 340.7 - 469.2: 48 h Daphnia magna mg/L EC50 Static<br>1000: 48 h Daphnia magna mg/L EC50 |

|  |   | mg/L LC50 semi-static  |  |
|--|---|--|--|
| Sodium Sulfate<br>7757-82-6              | -   | 13500 - 14500: 96 h Pimephales promelas mg/L LC50<br>3040 - 4380: 96 h Lepomis macrochirus mg/L LC50 static<br>13500: 96 h Lepomis macrochirus mg/L LC50<br>6800: 96 h Pimephales promelas mg/L LC50 static  | 2564: 48 h Daphnia magna mg/L EC50       |
| Trisodium nitrilotriacetate<br>5064-31-3 | -   | 175 - 225: 96 h Lepomis macrochirus mg/L LC50 static<br>560 - 1000: 96 h Oryzias latipes mg/L LC50<br>560 - 1000: 96 h Oryzias latipes mg/L LC50 semi-static<br>560 - 1000: 96 h Poecilia reticulata mg/L LC50<br>560 - 1000: 96 h Poecilia reticulata mg/L LC50 semi-static<br>72 - 133: 96 h Oncorhynchus mykiss mg/L LC50 static<br>93 - 170: 96 h Pimephales promelas mg/L LC50 flow-through<br>114: 96 h Pimephales promelas mg/L LC50<br>252: 96 h Lepomis macrochirus mg/L LC50<br>470: 96 h Pimephales promelas mg/L LC50 static | 560 - 1000: 48 h Daphnia magna mg/L LC50 |
| Diethanolamine<br>111-42-2               | 2.1 - 2.3: 96 h Pseudokirchneriella subcapitata mg/L EC50<br>7.8: 72 h Desmodemus subspicatus mg/L EC50 | 1200 - 1580: 96 h Pimephales promelas mg/L LC50 static<br>4460 - 4980: 96 h Pimephales promelas mg/L LC50 flow-through<br>600 - 1000: 96 h Lepomis macrochirus mg/L LC50 static  | 55: 48 h Daphnia magna mg/L EC50         |

**Persistence and degradability**

No Information available.

**Bioaccumulation**

No Information available.

| Chemical Name                                       | Partition coefficient |
|---|-----------------------|
| 2-butoxyethanol<br>111-76-2                         | 0.81                  |
| Linear Dodecyl Benzene Sulphonic Acid<br>27176-87-0 | 2                     |

**Other adverse effects**

No Information available.

**13. DISPOSAL CONSIDERATIONS****Waste treatment methods****Disposal of wastes**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging**

Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

**14. TRANSPORT INFORMATION**

The shipping classification information in this section (Section 14) is meant as a guide to the overall classification of the product. However, transportation classifications may be subject to change with changes in package size. Consult shipper requirements under 49 CFR, IATA and IMDG to assure regulatory compliance.

**DOT** Not regulated

### 15. REGULATORY INFORMATION

#### International Inventories

|                      |                 |
|----------------------|-----------------|
| <b>TSCA</b>          | Complies        |
| <b>DSL/NDSL</b>      | Complies        |
| <b>EINECS/ELINCS</b> | Does not comply |
| <b>ENCS</b>          | Does not comply |
| <b>IECSC</b>         | Complies        |
| <b>KECL</b>          | Does not comply |
| <b>PICCS</b>         | Complies        |
| <b>AICS</b>          | Does not comply |

#### Legend:

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory.

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List.

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances.

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

#### US Federal Regulations

##### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Chemical Name              | SARA 313 - Threshold Values % |
|----------------------------|-------------------------------|
| 2-butoxyethanol - 111-76-2 | 1.0                           |

##### SARA 311/312 Hazard Categories

|  |    |
|--|----|
| <b>Acute health hazard</b>               | No |
| <b>Chronic Health Hazard</b>             | No |
| <b>Fire hazard</b>                       | No |
| <b>Sudden release of pressure hazard</b> | No |
| <b>Reactive Hazard</b>                   | No |

##### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

| Chemical Name                                       | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---|-----------------------------|------------------------|---------------------------|----------------------------|
| Trisodium Phosphate Anhydrous<br>7601-54-9          | 5000 lb                     | -                      | -                         | X                          |
| Linear Dodecyl Benzene Sulphonic Acid<br>27176-87-0 | 1000 lb                     | -                      | -                         | X                          |

##### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

| Chemical Name                              | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ)                   |
|--|--------------------------|----------------|--|
| Trisodium Phosphate Anhydrous<br>7601-54-9 | 5000 lb                  | -              | RQ 5000 lb final RQ<br>RQ 2270 kg final RQ |



|   |         |   |   |
|---|---------|---|---|
| Linear Dodecyl Benzene Sulphonic Acid<br>27176-87-0 | 1000 lb | - | RQ 1000 lb final RQ<br>RQ 454 kg final RQ |
|---|---------|---|---|

**US State Regulations****California Proposition 65**

WARNING: This product can expose you to chemicals including Cocamide DEA and Diethanolamine which is known to the state of California to cause birth defects or other reproductive harm. For More Information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

| Chemical Name             | California Proposition 65 |
|---------------------------|---------------------------|
| Cocamide DEA - 68603-42-9 | Carcinogen                |
| Sulfuric Acid - 7664-93-9 | Carcinogen                |

**U.S. State Right-to-Know Regulations**

| Chemical Name                                       | New Jersey | Massachusetts | Pennsylvania |
|---|------------|---------------|--------------|
| 2-butoxyethanol<br>111-76-2                         | X          | X             | X            |
| Trisodium Phosphate Anhydrous<br>7601-54-9          | X          | X             | X            |
| Linear Dodecyl Benzene Sulphonic Acid<br>27176-87-0 | X          | X             | X            |
| Sodium Hydroxide<br>1310-73-2                       | X          | X             | X            |
| Sulfuric Acid<br>7664-93-9                          | X          | X             | X            |
| Sodium Sulfate<br>7757-82-6                         | -          | X             | X            |
| Trisodium nitrilotriacetate<br>5064-31-3            | -          | X             | -            |
| Diethanolamine<br>111-42-2                          | X          | X             | X            |

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not Applicable

**16. OTHER INFORMATION**

**HMIS** Health hazards 2 Flammability 1 Physical hazards 0 Personal protection X

**Legend**

**N/A** - Not Applicable  
**N/E** - Not Established  
**N/D** - Not Determined  
**N/K** - Not Known

**Issue Date** 16-Jan-2014  
**Revision Date** 07-Apr-2021  
**Revision Note** SDS sections updated 2 4 6 11

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**